Application/Control Number: 10/579,678

Art Unit: 1791

DETAILED ACTION

Election/Restrictions

1. The reply filed on November 16, 2009 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): Applicant elected two inventions (III and I) for examination; however, the requirement for restriction required election of a single invention to be examined. See 37 CFR 1.111. Since the abovementioned reply appears to be bona fide, applicant is given ONE (1) MONTH or THIRTY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LARRY THROWER whose telephone number is 571-270-5517. The examiner can normally be reached on Monday through Friday from 9:30AM-6PM est.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christina A. Johnson can be reached on 571-272-1176. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/579,678 Page 3

Art Unit: 1791

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Larry Thrower/ Examiner, Art Unit 1791

/Christina Johnson/ Supervisory Patent Examiner, Art Unit 1791